


Reducing Tee


異徑三通



DIMENSIONS												(unit: mm)		WEIGHTS					(unit: kg)
Nominal Pipe Size (NPS)		Outside Dia. (OD1)	Outside Dia. (OD2)	Wall Thickness (T)								Center to END C	Center to END M	Nominal Pipe side (NPS)		Sch. 5S	Sch. 10S	Sch. 40S	Sch. 80S
Run	Ouelet			Sch. 5S		Sch. 10S		Sch. 40S		Sch. 80S				Run	Oue-let				
				T1	T2	T1	T2	T1	T2	T1	T2								
3/4	1/2	26.670	21.336	1.651	1.651	2.108	2.108	2.870	2.769	3.912	3.734	28.702	28.702	3/4	1/2	0.065	0.083	0.115	0.150
1	1/2	33.274	21.336	1.651	1.651	2.769	2.108	3.378	2.769	4.547	3.734	38.100	38.100	1	1/2	0.110	0.187	0.218	0.280
1	3/4	33.401	26.670	1.651	1.651	2.769	2.108	3.378	2.870	4.547	3.912	38.100	38.100	1	3/4	0.110	0.187	0.227	0.300
1 1/4	3/4	42.164	26.670	1.651	1.651	2.769	2.108	3.556	2.870	4.851	3.912	47.752	47.752	1 1/4	3/4	0.169	0.300	0.367	0.483
1 1/4	1	42.164	33.401	1.651	1.651	2.769	2.769	3.556	3.378	4.851	4.547	47.752	47.752	1 1/4	1	0.169	0.312	0.389	0.500
1 1/2	1/2	48.260	21.336	1.651	1.651	2.769	2.108	3.683	2.769	5.080	3.734	57.150	57.150	1 1/2	1/2	0.233	0.396	0.518	0.700
1 1/2	3/4	48.260	26.670	1.651	1.651	2.769	2.108	3.683	2.870	5.080	3.912	57.150	57.150	1 1/2	3/4	0.233	0.395	0.518	0.700
1 1/2	1	48.260	33.401	1.651	1.651	2.769	2.769	3.683	3.378	5.080	4.547	57.150	57.150	1 1/2	1	0.253	0.420	0.545	0.725
1 1/2	1 1/4	48.260	42.164	1.651	1.651	2.769	2.769	3.683	3.556	5.080	4.851	57.150	57.150	1 1/2	1 1/4	0.253	0.422	0.574	0.765
2	3/4	60.325	26.670	1.651	1.651	2.769	0.838	3.912	2.870	5.537	3.912	63.500	44.450	2	3/4	0.323	0.542	0.742	1.000
2	1	60.325	33.401	1.651	1.651	2.769	2.769	3.912	3.378	5.537	4.547	63.500	50.800	2	1	0.323	0.542	0.742	1.000
2	1 1/4	60.325	42.164	1.651	1.651	2.769	2.769	3.912	3.556	5.537	4.851	63.500	57.150	2	1 1/4	0.340	0.571	0.800	1.050
2	1 1/2	60.325	48.260	1.651	1.651	2.769	2.769	3.912	3.683	5.537	5.080	63.500	60.452	2	1 1/2	0.353	0.592	0.826	1.110
2 1/2	1 1/2	73.025	48.260	2.108	1.651	3.048	2.769	5.156	3.683	7.010	5.080	76.200	66.802	2 1/2	1 1/2	0.620	0.895	1.450	1.901
2 1/2	2	73.025	60.325	2.108	1.651	3.048	2.769	5.156	3.912	7.010	5.537	76.200	69.850	2 1/2	2	0.648	0.937	1.531	1.890
3	1 1/2	88.900	48.260	2.108	1.651	3.048	2.769	5.486	3.683	7.620	5.080	79.502	73.152	3	1 1/2	0.800	1.200	2.052	2.750
3	2	88.900	60.325	2.108	1.651	3.048	2.769	5.486	3.912	7.620	5.537	85.852	76.200	3	2	0.850	1.235	2.163	2.850
3	2 1/2	88.900	73.025	2.108	2.108	3.048	3.048	5.486	5.156	7.620	7.010	85.852	82.550	3	2 1/2	0.890	1.312	2.294	3.054
4	1 1/2	114.300	48.260	2.108	1.651	3.048	2.769	6.020	3.683	8.560	5.080	104.902	85.852	4	1 1/2	1.310	1.883	3.520	4.890

Reducing Tee

異徑三通



DIMENSIONS													(unit: mm)		WEIGHTS					(unit: kg)	
Nominal Pipe Size (NPS)		Outside Dia. (OD1)	Outside Dia. (OD2)	Wall Thickness (T)								Center to END C	Center to END M	Nominal Pipe side (NPS)		Sch. 5S	Sch. 10S	Sch. 40S	Sch. 80S		
Run	Outlet			Sch. 5S		Sch. 10S		Sch. 40S		Sch. 80S				Run	Outlet						
				T1	T2	T1	T2	T1	T2	T1	T2										
4	2	114.300	60.325	2.108	1.651	3.048	2.769	6.020	3.912	8.560	5.537	104.902	88.900	4	2	1.310	1.883	3.521	4.890		
4	2 1/2	114.300	73.025	2.108	2.108	3.048	3.048	6.020	5.156	8.560	7.010	104.902	95.250	4	2 1/2	1.351	1.951	3.701	5.100		
4	3	114.300	88.900	2.108	2.108	3.048	3.048	6.020	5.486	8.560	7.620	104.902	98.552	4	3	1.401	2.000	3.832	5.312		
5	3	141.300	88.900	2.769	2.108	3.404	3.048	6.553	5.486	9.525	7.620	123.952	111.252	5	3	2.550	3.134	5.853	8.285		
5	4	141.300	114.300	2.769	2.108	3.404	3.048	6.553	6.020	9.525	8.560	123.952	117.602	5	4	2.652	3.262	6.144	8.714		
6	2 1/2	168.275	73.025	2.769	2.108	3.404	3.048	7.112	5.156	10.973	7.010	143.002	120.650	6	2 1/2	3.420	4.200	8.500	12.412		
6	3	168.275	88.900	2.769	2.108	3.404	3.048	7.112	5.486	10.973	7.620	143.002	123.952	6	3	3.420	4.200	8.500	12.412		
6	4	168.275	114.300	2.769	2.108	3.404	3.048	7.112	6.020	10.973	8.560	143.002	130.302	6	4	3.531	4.341	8.800	13.000		
6	5	168.275	141.300	2.769	2.769	3.404	3.404	7.112	6.553	10.973	9.525	143.002	136.652	6	5	3.690	4.562	9.200	13.832		
8	4	219.075	114.300	2.769	2.108	3.759	3.048	8.179	6.020	12.700	8.560	177.800	155.702	8	4	5.500	7.485	15.700	24.012		
8	5	219.075	141.300	2.769	2.769	3.759	3.404	8.179	6.533	12.700	9.525	177.800	162.052	8	5	5.660	7.706	16.312	23.901		
8	6	219.075	168.275	2.769	2.769	3.759	3.404	8.179	7.112	12.700	10.973	177.800	168.402	8	6	5.830	7.912	16.813	25.513		
10	5	273.050	141.300	3.404	2.769	4.191	3.404	9.271	6.553	12.700	9.525	215.900	190.500	10	5	10.000	12.640	27.100	37.100		
10	6	273.050	168.275	3.404	2.769	4.191	3.404	9.271	7.112	12.700	10.973	215.900	193.802	10	6	10.300	12.800	27.612	37.612		
10	8	273.050	219.075	3.404	2.769	4.191	3.759	9.271	8.179	12.700	12.700	215.900	203.200	10	8	10.500	13.310	28.931	39.522		
12	6	323.050	168.275	3.962	2.769	4.572	3.404	9.525	7.112	12.700	10.973	254.000	219.202	12	6	16.500	19.000	39.141	50.900		
12	8	323.850	219.075	3.962	2.769	4.572	3.759	9.525	8.179	12.700	12.700	254.000	228.600	12	8	17.000	19.500	40.200	53.000		
12	10	323.850	273.050	3.962	2.642	4.572	4.191	9.525	9.271	12.700	12.700	254.000	241.300	12	10	17.810	20.500	42.200	55.900		




隆源工業股份有限公司
LONGYUAN INDUSTRY CO., LTD.

TEL : 05-5973156~8 FAX : +886 5-5973159 E-mail : sales@lyfittings.com.tw
Address: No.98, Daye Rd., Dounan Township, Yunlin County 630, Taiwan

Reducing Tee

異徑三通 - 2



DIMENSIONS (unit: mm)													
Nominal Pipe Size (NPS)		Outside Dia. (OD1)	Outside Dia. (OD2)	Wall Thickness (T)								Center to END C	Center to END M
Run	Ouelet			Sch. 5S		Sch. 20S		Std.		XS			
				T1	T2	T1	T2	T1	T2	T4	T2		
14	8	355.600	219.075	4.775	3.759	7.925	6.350	9.525	8.179	12.700	12.700	279.400	247.650
14	10	355.600	273.050	4.775	4.191	7.925	6.350	9.525	9.271	12.700	12.700	279.400	257.302
14	12	355.600	323.850	4.775	4.572	7.925	6.350	9.525	9.525	12.700	12.700	279.400	270.002
16	10	406.400	273.050	4.775	4.191	7.925	6.350	9.525	9.271	12.700	12.700	304.800	282.702
16	12	406.400	323.850	4.775	4.572	7.925	6.350	9.525	9.525	12.700	12.700	304.800	295.402
16	14	406.400	355.600	4.775	4.775	7.925	7.925	9.525	9.525	12.700	12.700	304.800	304.800
18	12	457.200	323.850	4.775	4.572	7.925	6.350	9.525	9.525	12.700	12.700	342.900	320.802
18	14	457.200	355.600	4.775	4.775	7.925	7.925	9.525	9.525	12.700	12.700	342.900	330.200
18	16	457.200	406.400	4.775	4.775	7.925	7.925	9.525	9.525	12.700	12.700	342.900	330.200
20	14	508.800	355.600	5.537	4.775	9.525	7.925	9.525	9.525	12.700	12.700	381.000	355.600
20	16	508.800	406.400	5.537	4.775	9.525	7.925	9.525	9.525	12.700	12.700	381.000	355.600
20	18	508.800	457.200	5.537	4.775	9.525	7.925	9.525	9.525	12.700	12.700	381.000	368.300
22	16	558.800	406.400	5.537	4.775	9.525	7.925	9.525	9.525	12.700	12.700	419.100	381.000
22	18	558.800	457.200	5.537	4.775	9.525	7.925	9.525	9.525	12.700	12.700	419.100	393.700
22	20	558.800	508.000	5.537	5.537	9.525	9.525	9.525	9.525	12.700	12.700	419.100	406.400
24	16	609.600	406.400	6.350	4.775	9.525	7.925	9.525	9.525	12.700	12.700	431.800	406.400
24	18	609.600	457.200	6.350	4.775	9.525	7.925	9.525	9.525	12.700	12.700	431.800	419.100
24	20	609.600	508.000	6.350	5.537	9.525	9.525	9.525	9.525	12.700	12.700	431.800	431.800
24	22	609.600	558.800	6.350	5.537	9.525	9.525	9.525	9.525	12.700	12.700	431.800	431.800

WEIGHTS (unit: kg)					
Nominal Pipe side (NPS)		Wall Thickness (T)			
Run	Oue-let	Sch. 10S	Sch. 20S	Std.	XS
14	8	25.000	40.100	48.390	64.500
14	10	25.600	41.700	50.200	67.000
14	12	26.400	43.400	52.200	69.012
16	10	31.990	51.200	61.600	81.600
16	12	32.100	53.850	63.600	84.100
16	14	33.000	54.100	65.100	86.000
18	12	40.500	65.600	78.500	104.000
18	14	41.200	66.821	80.300	106.000
18	16	41.800	67.821	81.500	108.000
20	14	58.000	97.410	97.200	129.000
20	16	58.300	98.600	98.600	131.000
20	18	59.000	100.000	100.000	134.000
22	16	70.000	118.140	118.140	156.000
22	18	70.700	120.000	120.000	159.000
22	20	72.900	123.000	123.000	163.000
24	16	88.300	134.180	134.000	177.090
24	18	88.300	134.180	134.000	177.090
24	20	90.300	137.160	137.000	181.000
24	22	91.100	138.500	138.000	183.000